ELSEVIER

Physica C 273 (1997) 355–358

PHYSICA C

Author Index to Volume 273

Abell, J.S., see Peacock, G.B., **273**, 193
Adachi, S., see Tatsuki, T., **273**, 65
Adachi, S., see Wu, X.-J., **273**, 198
Adelmann, P., see Vigoureux, P., **273**, 239
Ahn, J.W., see Lee, S.Y., **273**, 83
Ammor, L., A. Smina, J.C. Soret, A. Ruyter, V. Ta Phuoc, B. Martinie, J. Lecomte, B. Mercey and Ch. Simon, Current density dependence of the activation energy in Tl-2212 thin films at weak magnetic fields, **273**, 281
Anshukova, N.V., A.I. Golovashkin, L.I. Ivanova, O.T. Maljuchkov and A.P. Rusakov, Hole localization, electronic structure and high-T_c superconductivity, **273**, 151
Aoki, R., see Murakami, H., **273**, 41
Aomine, T., see Shinozaki, B., **273**, 1
Arendt, M., see Zhou, J.-P., **273**, 223
Armstrong, J., see Zhou, J.-P., **273**, 223

Bánkuti, J., see Klencsár, Z., **273**, 323
Barilo, S.N., see Vigoureux, P., **273**, 239
Bazhenov, A.V., C.B. Rezchikov and I.S. Smirnova, Lattice dynamics of the La_2CuO_4 Cmca orthorhombic phase at $k = 0$, **273**, 9
Bódog, M., see Klencsár, Z., **273**, 323
Bouree, F., see Sauv, K., **273**, 49
Bourges, P., see Vigoureux, P., **273**, 239
Braden, M., A.H. Moudden, S. Nishizaki, Y. Maeno and T. Fujita, Structural analysis of Sr_2RuO_4, **273**, 248
Braden, M., see Vigoureux, P., **273**, 239

Caneiro, A., see Serquis, A., **273**, 163
Cao, B., see Yamasaki, H., **273**, 213
Castellazzi, S., M.R. Cimberle, C. Ferdeghini, E. Giannini, G. Grasso, D. Marrè, M. Putti and A.S. Siri, Thermal conductivity of a BSCCO(2223) *c*-oriented tape: a discussion on the origin of the peak, **273**, 314
Chabanenko, V.V., A.I. D'yachenko, H. Szymczak and S. Piechota, Reversible mechanism of magnetothermal instabilities in melt-textured YBaCuO, **273**, 127
Chaddah, P., see Roy, S.B., **273**, 120
Charnaya, E.V., C. Tien, C.S. Wur and Yu.A. Kumzerov, Phase transition in vortex system and irreversibility for superconducting gallium in porous glass, **273**, 91
Chauhan, H.S., see Endo, A., **273**, 107
Che, G.C., Z.X. Zhao, J.W. Li, H. Chen, C. Dong and S.L. Jia, $La_{1.6}Sr_{0.4}CaCu_2O_{4+\delta}Cl_{2-y}$ superconductor synthesized at ambient pressure, **273**, 296
Chen, H., see Che, G.C., **273**, 296
Chen, N., see Smirnov, B.I., **273**, 255
Chen, W.M., see Wu, X.S., **273**, 99
Chesca, B., A three-hole RF/UHF double squid as a natural second-order magnetic gradiometer, **273**, 233
Cho, J.Y., see Lee, S.Y., **273**, 83
Choi, S.S., see Lee, S.Y., **273**, 83
Chudzik, M.P., see Smirnov, B.I., **273**, 255
Cimberle, M.R., see Castellazzi, S., **273**, 314
Conard, J., see Sauv, K., **273**, 49
Constantinian, K.Y., G.A. Ovsyannikov, A.D. Mashtakov, J. Ramos, Z.G. Ivanov, J. Mygind and N.F. Pedersen, Microwave dynamics of YBCO bi-epitaxial Josephson structures, **273**, 21
Cook, L.P., see Wong-Ng, W., **273**, 135
Cousson, A., see Vigoureux, P., **273**, 239
Cristea, M., see Popescu, V., **273**, 157

Dabrowski, B., see Das, A., **273**, 301
Das, A., R. Suryanarayanan, I. Zelenay and B. Dabrowski, Structure, superconductivity and thermopower of $Nd_{1-x}Pr_xSrBaCu_3O_7$, **273**, 301
De Andrade, M.C., G. Triscone, M.B. Maple, S. Spagna, J. Diederichs and R.E. Sager, Dimensional crossover and peak effect in a superconducting $Pr_{1.85}Ce_{0.15}CuO_{4-y}$ single crystal, **273**, 268
DeLuca, J., see Hettinger, J.D., **273**, 275
Del Vecchio, A., see Di Chiara, A., **273**, 30
Denisov, A.G., see Lee, S.Y., **273**, 83
De Riccardis, M.F., see Di Chiara, A., **273**, 30
Di Chiara, A., F. Lombardi, F. Miletto Granozio, U. Scotti di Uccio, M. Valentino, F. Tafuri, A. Del Vecchio, M.F. De Riccardis and L. Tapfer, Structure and morphology of MgO/YBCO bilayers for biepitaxial junctions, **273**, 30
Diederichs, J., see de Andrade, M.C., **273**, 268
Dong, C., see Che, G.C., **273**, 296
Dou, S.X., see Wang, X.L., **273**, 349
D'yachenko, A.I., see Chabanenko, V.V., **273**, 127

Eddy, M., see Hettinger, J.D., **273**, 275
Edwards, P.P., see Peacock, G.B., **273**, 193
Endo, A., H.S. Chauhan and Y. Shiohara, Entrapment of Y_2BaCuO_5 particles in melt-textured $YBa_2Cu_3O_{7-\delta}$ crystals and its effect on J_c properties, **273**, 107

Fedorov, V.B., see Lee, S.Y., **273**, 83
Ferdeghini, C., see Castellazzi, S., **273**, 314
Fistul, M.V. and G.F. Giuliani, Generalized Eck peak in inhomogeneous Josephson junctions, **273**, 309
Fujiki, H., see Shinozaki, B., **273**, 1
Fujimori, Y., see Shinozaki, B., **273**, 1
Fujita, T., see Braden, M., **273**, 248
Fukami, T., see Shinozaki, B., **273**, 1
Funahashi, R., I. Matsubara, T. Ogura, K. Ueno and H. Ishikawa, Critical current density for $Bi_2Sr_2CaCu_2O_x$/Ag tapes prepared using an isothermal partial melting method under controlled atmospheres, **273**, 337

Gameson, I., see Peacock, G.B., **273**, 193
Giannini, E., see Castellazzi, S., **273**, 314
Giuliani, G.F., see Fistul, M.V., **273**, 309
Golovashkin, A.I., see Anshukova, N.V., **273**, 151
Goretta, K.C., see Smirnov, B.I., **273**, 255
Grasso, G., see Castellazzi, S., **273**, 314
Gray, K.E., see Hettinger, J.D., **273**, 275
Gukasov, A., see Vigoureux, P., **273**, 239

Hahn, T.S., see Lee, S.Y., **273**, 83
Hardy, V., see Pelloquin, D., **273**, 205
Hatano, T., A. Ishii and K. Nakamura, Synthesis and superconductivity of a $(Bi_2Sr_2Ca_4Cu_5O_{14})_1(Bi_2Sr_2CuO_6)_1$ superlattice film, **273**, 342
Hattori, W., see Murakami, H., **273**, 41
Heger, G., see Vigoureux, P., **273**, 239
Hettinger, J.D., K.E. Gray, D.J. Miller, D.H. Kim, D.G. Steel, B.R. Washburn, J. Sharping, C. Moreau, M. Eddy, J.E. Tkaczyk, J. DeLuca, J.H. Kang and J. Talvacchio, Identification of grain boundary effects in current–voltage curves of polycrystalline high-T_c superconductors, **273**, 275
Hinaus, B.M., see Rzchowski, M.S., **273**, 289

Ichikawa, F., see Shinozaki, B., **273**, 1
Iga, F., see Yamaguchi, Y., **273**, 261
Ishii, A., see Hatano, T., **273**, 342
Ishikawa, H., see Funahashi, R., **273**, 337
Isobe, M., Y. Matsui and E. Takayama-Muromachi, New series of oxyphosphate superconductors $(Cu_{0.5}P_{0.5})Sr_2(Ca,Y)_{n-1}$-$Cu_nO_y$ ((Cu,P)-12$(n-1)n$, $n = 3$–6) prepared under high pressure, **273**, 72
Ivanov, Z.G., see Constantinian, K.Y., **273**, 21
Ivanova, L.I., see Anshukova, N.V., **273**, 151

Jia, S.L., see Che, G.C., **273**, 296
Jiang, S.S., see Wu, X.S., **273**, 99
Jin, X., see Wu, X.S., **273**, 99
Jung, C.S., see Lee, S.Y., **273**, 83

Kang, J.H., see Hettinger, J.D., **273**, 275
Kawaguti, T., see Shinozaki, B., **273**, 1
Khaliq, M., see Peacock, G.B., **273**, 193
Kim, D.H., see Hettinger, J.D., **273**, 275
Kim, Y.H., see Lee, S.Y., **273**, 83
Klencsár, Z., E. Kuzmann, A. Vértes, J. Bánkuti, T. Rácz, M. Bódog and I. Kotsis, Mössbauer study of effect of substitution of Pr in Eu-containing high temperature superconductor, **273**, 323
Kotsis, I., see Klencsár, Z., **273**, 323
Kudymov, A.N., see Smirnov, B.I., **273**, 255
Kumzerov, Yu.A., see Charnaya, E.V., **273**, 91
Kuzmann, E., see Klencsár, Z., **273**, 323

Lanagan, M.T., see Smirnov, B.I., **273**, 255
Lauriat, J.P., see Vigoureux, P., **273**, 239
Lecomte, J., see Ammor, L., **273**, 281
Lee, S.Y., J.Y. Cho, Y.H. Kim, B.J. Soh, B.H. Park, J.W. Ahn, C.S. Jung, T.S. Hahn, S.S. Choi, B. Oh, S.H. Moon, V.B. Fedorov and A.G. Denisov, Microwave properties of high-T_c $YBa_2Cu_3O_{7-\delta}$ microstrip resonators with different surface morphologies and finite thicknesses, **273**, 83
Li, J.W., see Che, G.C., **273**, 296
Liu, H.K., see Wang, X.L., **273**, 349
Lo, R.-K., see Zhou, J.-P., **273**, 223
Lombardi, F., see Di Chiara, A., **273**, 30

Maeno, Y., see Braden, M., **273**, 248
Maignan, A., see Pelloquin, D., **273**, 205
Maljuchkov, O.T., see Anshukova, N.V., **273**, 151
Maple, M.B., see de Andrade, M.C., **273**, 268
Marrè, D., see Castellazzi, S., **273**, 314
Martinie, B., see Ammor, L., **273**, 281
Mashtakov, A.D., see Constantinian, K.Y., **273**, 21
Matsubara, I., see Funahashi, R., **273**, 337
Matsui, Y., see Isobe, M., **273**, 72
Mawatari, Y., see Yamasaki, H., **273**, 213
McDevitt, J.T., see Zhou, J.-P., **273**, 223
Mercey, B., see Ammor, L., **273**, 281
Meven, M., see Vigoureux, P., **273**, 239
Miletto Granozio, F., see Di Chiara, A., **273**, 30
Miller, D.J., see Hettinger, J.D., **273**, 275
Mizomata, Y., see Murakami, H., **273**, 41
Moon, S.H., see Lee, S.Y., **273**, 83
Moreau, C., see Hettinger, J.D., **273**, 275
Moriwaki, Y., see Tatsuki, T., **273**, 65
Moudden, A.H., see Braden, M., **273**, 248
Murakami, H., W. Hattori, Y. Mizomata and R. Aoki, Tunneling observation of Tl quasi-localized impurity states in superconductive semiconductor Pb(Tl)Te, **273**, 41
Mygind, J., see Constantinian, K.Y., **273**, 21

Nakagawa, Y., see Yamasaki, H., **273**, 213
Nakamura, K., see Hatano, T., **273**, 342
Nemoto, M., see Yoshikawa, S., **273**, 143
Nicolas-Francillon, M., see Sauv, K., **273**, 49
Niki, K., see Yoshikawa, S., **273**, 143
Nishihara, Y., see Yamaguchi, Y., **273**, 261
Nishizaki, S., see Braden, M., **273**, 248

Ogura, T., see Funahashi, R., **273**, 337
Oh, B., see Lee, S.Y., **273**, 83
Orlova, T.S., see Smirnov, B.I., **273**, 255
Ovsyannikov, G.A., see Constantinian, K.Y., **273**, 21

Park, B.H., see Lee, S.Y., **273**, 83
Paulus, W., see Vigoureux, P., **273**, 239
Peacock, G.B., I. Gameson, P.P. Edwards, M. Khaliq, G. Yang, T.C. Shields and J.S. Abell, Fabrication of high-temperature superconducting $HgBa_2CuO_{4+\delta}$ within silver-sheathed tapes, **273**, 193
Pedersen, N.F., see Constantinian, K.Y., **273**, 21
Pelloquin, D., V. Hardy, A. Maignan and B. Raveau, Single crystals of the 96 K superconductor $(Hg,Cu)Ba_2CuO_{4+\delta}$: growth, structure and magnetism, **273**, 205
Petitgrand, D., see Vigoureux, P., **273**, 239
Piechota, S., see Chabanenko, V.V., **273**, 127
Popescu, V., A. Stepanescu and M. Cristea, Simulation of electric resistance noise hysteresis in high-T_c granular superconductors under a magnetic field, **273**, 157
Prado, F., see Serquis, A., **273**, 163
Putti, M., see Castellazzi, S., **273**, 314

Rácz, T., see Klencsár, Z., **273**, 323
Ramos, J., see Constantinian, K.Y., **273**, 21
Raveau, B., see Pelloquin, D., **273**, 205
Rezchikov, C.B., see Bazhenov, A.V., **273**, 9
Roy, S.B. and P. Chaddah, Unusual superconducting phenomenon in $CeRu_2$: effects of Nd substitutions, **273**, 120
Rusakov, A.P., see Anshukova, N.V., **273**, 151
Ruyter, A., see Ammor, L., **273**, 281
Rzchowski, M.S. and B.M. Hinaus, Extrapolation procedures in high-T_c gap-function experiments, **273**, 289

Sager, R.E., see de Andrade, M.C., **273**, 268
Sauv, K., J. Conard, M. Nicolas-Francillon and F. Bouree, Resistivity and local susceptibility by ^7Li NMR in $YBa_2Cu_{3-x}O_{7\pm\delta}Li_x$, **273**, 49
Savoy, S.M., see Zhou, J.-P., **273**, 223
Saxena, A.K., see Singh, H.K., **273**, 181
Scotti di Uccio, U., see Di Chiara, A., **273**, 30
Serquis, A., F. Prado and A. Caneiro, Copper nonstoichiometry at high temperatures in $Nd_{1.85}Ce_{0.15}Cu_{1\pm\delta}O_y$, **273**, 163
Sharping, J., see Hettinger, J.D., **273**, 275
Shields, T.C., see Peacock, G.B., **273**, 193
Shimaoka, K., see Yoshikawa, S., **273**, 143
Shinozaki, B., H. Fujiki, T. Kawaguti, Y. Fujimori, F. Ichikawa, T. Fukami and T. Aomine, Quantum corrections to the magnetoconductance in superconducting aluminum films above the upper critical magnetic field, **273**, 1
Shiohara, Y., see Endo, A., **273**, 107
Simon, Ch., see Ammor, L., **273**, 281
Singh, H.K., A.K. Saxena and O.N. Srivastava, Effect of Ag doping on the transition temperature and critical current density of $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ films fabricated through spray pyrolysis, **273**, 181
Siri, A.S., see Castellazzi, S., **273**, 314
Smina, A., see Ammor, L., **273**, 281
Smirnov, B.I., T.S. Orlova, A.N. Kudymov, M.T. Lanagan, M.P. Chudzik, N. Chen and K.C. Goretta, Electric field effect in $(BiPb)_2Sr_2Ca_2Cu_3O_x$ superconductor bars, **273**, 255
Smirnova, I.S., see Bazhenov, A.V., **273**, 9
Soh, B.J., see Lee, S.Y., **273**, 83
Soret, J.C., see Ammor, L., **273**, 281
Spagna, S., see de Andrade, M.C., **273**, 268
Srivastava, O.N., see Singh, H.K., **273**, 181
Steel, D.G., see Hettinger, J.D., **273**, 275
Stepanescu, A., see Popescu, V., **273**, 157
Suryanarayanan, R., see Das, A., **273**, 301
Szymczak, H., see Chabanenko, V.V., **273**, 127

Tafuri, F., see Di Chiara, A., **273**, 30
Takayama-Muromachi, E., see Isobe, M., **273**, 72
Talvacchio, J., see Hettinger, J.D., **273**, 275
Talvacchio, J., see Zhou, J.-P., **273**, 223
Tamura, T., see Tatsuki, T., **273**, 65
Tanabe, K., see Tatsuki, T., **273**, 65
Tanabe, K., see Wu, X.-J., **273**, 198
Tapfer, L., see Di Chiara, A., **273**, 30
Ta Phuoc, V., see Ammor, L., **273**, 281
Tatsuki, T., A. Tokiwa-Yamamoto, T. Tamura, X.-J. Wu, Y. Moriwaki, S. Adachi and K. Tanabe, Structural and superconducting properties of $(Hg_{1-x}Tl_x)_2Ba_2Ca_{n-1}Cu_nO_y$ ($n = 3, 4$) superconductors prepared under high pressure, **273**, 65
Tatsuki, T., see Wu, X.-J., **273**, 198
Tien, C., see Charnaya, E.V., **273**, 91
Tkaczyk, J.E., see Hettinger, J.D., **273**, 275
Tokiwa-Yamamoto, A., see Tatsuki, T., **273**, 65
Tokiwa-Yamamoto, A., see Wu, X.-J., **273**, 198
Tomono, H., see Yamaguchi, Y., **273**, 261
Triscone, G., see de Andrade, M.C., **273**, 268

Ueno, K., see Funahashi, R., **273**, 337

Valentino, M., see Di Chiara, A., **273**, 30
Vértes, A., see Klencsár, Z., **273**, 323
Vigoureux, P., M. Braden, A. Gukasov, W. Paulus, P. Bourges, A. Cousson, D. Petitgrand, J.P. Lauriat, M. Meven, S.N. Barilo, D.I. Zhigunov, P. Adelmann and G. Heger, Study of the structural phase transition in $Gd_{2-x}Ce_xCuO_4$, **273**, 239

Wang, X.L., H.K. Liu and S.X. Dou, Morphologies of square shape spirals and (110) twins in spiral-grown $Bi_2Sr_2CaCu_2O_y$ crystals, **273**, 349
Washburn, B.R., see Hettinger, J.D., **273**, 275
Wong, K.W., see Yoo, S.H., **273**, 189
Wong-Ng, W. and L.P. Cook, Cation non-stoichiometry of the $BaCuO_{2+x}$ phase, **273**, 135
Wu, X.-J., A. Tokiwa-Yamamoto, T. Tatsuki, S. Adachi and K. Tanabe, Structure evolution in superconducting $(Hg_{0.7}, Tl_{0.3})_2Ba_2(Ca_x,Y_{1-x})Cu_2O_{8-2\delta}$, **273**, 198
Wu, X.-J., see Tatsuki, T., **273**, 65
Wu, X.S., W.M. Chen, X. Jin and S.S. Jiang, Mechanochemical effects of grinding on the $YBa_2Cu_3O_x$ superconductor, **273**, 99
Wur, C.S., see Charnaya, E.V., **273**, 91

Xin, Y., see Yoo, S.H., **273**, 189

Yamaguchi, Y., H. Tomono, F. Iga and Y. Nishihara, Dimensionality of vortex state magnetization in tilted-field to *c*-axis of $Bi_2Sr_2CaCu_2O_y$, **273**, 261

Yamasaki, H., Y. Nakagawa, Y. Mawatari and B. Cao, Preparation and magnetic properties of Re-doped $HgBa_2Ca_2Cu_3O_{8+\delta}$ superconductors, **273**, 213

Yang, D.-Y., see Zhou, J.-P., **273**, 223

Yang, G., see Peacock, G.B., **273**, 193

Yeh, W.J., see Yu, Z.Q., **273**, 328

Yoo, S.H., K.W. Wong and Y. Xin, Thick film of $HgBa_2Ca_2Cu_3O_{8+\delta}$ via the sol–gel technique, **273**, 189

Yoshida, I., see Yoshikawa, S., **273**, 143

Yoshikawa, S., M. Nemoto, K. Shimaoka, K. Niki, I. Yoshida and Y. Yoshisato, Ka-band performance of step-edge Josephson junctions using $Tl_2Ba_2CaCu_2O_x$ films on MgO substrates, **273**, 143

Yoshisato, Y., see Yoshikawa, S., **273**, 143

Yu, Z.Q. and W.J. Yeh, Scaling behavior and 3D–2D dimensional crossover in ceramic $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ high-T_c superconductors, **273**, 328

Zelenay, I., see Das, A., **273**, 301

Zhao, Z.X., see Che, G.C., **273**, 296

Zhigunov, D.I., see Vigoureux, P., **273**, 239

Zhou, J.-P., R.-K. Lo, S.M. Savoy, M. Arendt, J. Armstrong, D.-Y. Yang, J. Talvacchio and J.T. McDevitt, Environmental degradation properties of $YBa_2Cu_3O_{7-\delta}$ and $Y_{0.6}Ca_{0.4}Ba_{1.6}La_{0.4}Cu_3O_{7-\delta}$ thin film structures, **273**, 223

ELSEVIER

Physica C 273 (1997) 359–360

PHYSICA C

Analytic Subject Index to Volume 273

ac susceptibility
–of $Nd_{1-x}Pr_xSrBaCu_3O_7$ 301
Activation energy
–in $Tl_2Ba_2CaCu_2O_8$ thin film 281

Biepitaxial junctions 30

Cationic defects 163
Corrosion resistance
–of $Y_{0.6}Ca_{0.4}Ba_{1.6}La_{0.4}Cu_3O_{7-\delta}$ 223
–of $YBa_2Cu_3O_{7-\delta}$ 223
Critical current density 275
–of $Bi_2Sr_2CaCu_2O_x$/Ag tapes 337
–of $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ 181
Current-voltage characteristic 309

Dimensional crossover
–in $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ 328
Double squid 233

Electric field effect
–in $(BiPb)_2Sr_2Ca_2Cu_3O_x$ 255
Electric resistivity
–of $(Cu_{0.5}P_{0.5})Sr_2(Ca,Y)_{n-1}Cu_nO_y$ 72
Electrical resistivity
–of $(BiPb)_2Sr_2Ca_2Cu_3O_{10}$ 314
–of $Eu_{1-x}Pr_xBa_2Cu_3O_{7-d}$ 323
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ thick films 189
–of $La_{1.8}Sr_{0.4}CaCu_2O_{4+\delta}Cl_{2-y}$ 296
Electron–electron interaction 1
Electron-doped superconductor 268
Electron-doped superconductors 163
Electronic spectrum 151
Entrapment
–of Y_2BaCuO_5 107

Fluctuation effects
–in AL films 1
Flux instability
–in $YBa_2Cu_3O_{7-x}$ 127
Flux lattice 91, 309
Flux motion
–in $Tl_2Ba_2CaCu_2O_8$ thin film 281
Flux pinning 107
–in $YBa_2Cu_3O_{7-x}$ 127

Glassy state 328
Grain alignment
–in $YBa_2Cu_3O_{7-x}$ 127
Grain boundaries 21
Grain boundary effect 275
Granular superconductivity 157
Grinding
–of $YBa_2Cu_3O_x$ 99
Growth twins 349

HREM
–of $(Hg_{0.7},Tl_{0.3})_2Ba_2(Ca_x,Y_{1-x})$-$Cu_2O_{8-2\delta}$ 198
HRTEM
–of $(Cu_{0.5}P_{0.5})Sr_2(Ca,Y)_{n-1}Cu_nO_y$ 72
Heavy holes 151
High pressure annealing
–of $Nd_{1-x}Pr_xSrBaCu_3O_7$ 301
High-pressure synthesis
–of $(Cu_{0.5}P_{0.5})Sr_2(Ca,Y)_{n-1}Cu_nO_y$ 72
Hole concentration 301
–in $(Bi_2Sr_2Ca_4Cu_5O_{14})_1(Bi_2Sr_2CuO_6)_1$ film 342

I–V-characteristics 143
IV-characteristic
–of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ 328
IV-characteristics 275
–of $(BiPb)_2Sr_2Ca_2Cu_3O_x$ 255
–of $Tl_2Ba_2CaCu_2O_8$ thin film 281
Impurity states
–in Pb(Tl)Te 41
Infrared spectroscopy
–on La_2CuO_4 single crystals 9
Irreversibility line
–of $(Hg,Cu)Ba_2CuO_{4+\delta}$ 205
Isothermal partial melting method 337

Josephson effect 289, 309
–of YBCO junctions 21
Josephson junction
–of $Tl_2Ba_2CaCu_2O_x$ 143

Local bosons 151
Local disortions
–in $Gd_{2-x}Ce_xCuO_4$ 239
London penetration depth
–of $YBa_2Cu_3O_{7-\delta}$, thin films 83

Macrosegregation 107
Magnetic gradiometer 233
Magnetic susceptibility
–of $(Cu_{0.5}P_{0.5})Sr_2(Ca,Y)_{n-1}Cu_nO_y$ 72
–of $(Hg_{1-x}Tl_x)_2Ba_2Ca_{n-1}Cu_nO_y$ 65
Magnetization
–of $(Hg,Cu)Ba_2CuO_{4+\delta}$ 205
–of $(Hg_{1-x}Re_{0.1})Ba_2Ca_2Cu_3O_{8+\delta}$ 213
–of $Bi_2Sr_2CaCu_2O_y$ 261
–of $Ce_{1-x}Nd_xRu_2$ 120
–of Ga in porous glass 91
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ thick films 189
–of $HgBa_2CuO_{4+\delta}$ tape 193
–of $Pr_{1.85}Ce_{0.15}CuO_{4-y}$ single crystal 268
Magnetoconductance
–of Al films 1
Melt processing
–of $YBa_2Cu_3O_{7-\delta}$ 107
Microwave dynamics
–in YBCO junctions 21
Microwave properties
–of $YBa_2Cu_3O_{7-\delta}$, thin films 83
Mössbauer study
–of $Eu_{1-x}Pr_xBa_2Cu_3O_{7-d}$ 323
Morphology
–of $Bi_2Sr_2CaCu_2O_y$ crystal 349
–of MgO/YBCO bilayers 30
Multilayers 342

NMR
–in $YBa_2Cu_{3-x}O_{7\pm\delta}Li_x$ 49
Neutron diffraction
–on $Gd_{2-x}Ce_xCuO_4$ 239
–on Sr_2RuO_4 single crystal 248
Nonsymmorphic group 9
Normal modes 9

Oxygen stoichiometry
–in $YBa_2Cu_{3-x}O_{7\pm\delta}Li_x$ 49
–of $YBa_2Cu_3O_x$ 99
Oxyphosphate superconductors 72

Peak effect
–in $Pr_{1.85}Ce_{0.15}CuO_{4-y}$ single crystal 268
Percolative model 157
Phase diagram
–of $Ce_{1-x}Nd_xRu_2$ 120
–of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ 328
–of vortex system 91
Phase diagrams
–of $Nd_{1.85}Ce_{0.15}Cu_{1\pm\delta}O_y$ 163
Phase relationships
–in $Ba_{0.94}Cu_{1.06}O_{2+x}$ 135
Phase transition 151
Plastic deformation 127
Pr-f hybridization 301

Resistance of Josephson junction 157
Resistivity
–of $YBa_2Cu_{3-x}O_{7\pm\delta}Li_x$ 49
Resonance scattering
–in Pb(Tl)Te 41
Responsivity 143
Rhenium doping 213

SQUID 289
Single crystal growth
–of $Bi_2Sr_2CaCu_2O_y$ 349
Solidification time 337
Spiral growth 349
Structural phase transition
–in $Gd_{2-x}Ce_xCuO_4$ 239
Structure
–of (Hg,Cu)$Ba_2CuO_{4+\delta}$ 205
–of $(Hg_{0.7},Tl_{0.3})_2Ba_2(Ca_x,Y_{1-x})$-$Cu_2O_{8-2\delta}$ 198
–of $(Hg_{1-x}Tl_x)_2Ba_2Ca_{n-1}Cu_nO_y$ 65
–of $Ba_{0.94}Cu_{1.06}O_{2+x}$ 135
–of $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ films 181
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ thick films 189
–of $HgBa_2CuO_{4+\delta}$ tape 193
–of $La_{1.8}Sr_{0.4}CaCu_2O_{4+\delta}Cl_{2-y}$ 296
–of MgO/YBCO bilayers 30
–of Sr_2RuO_4 248
–of $YBa_2Cu_3O_x$ 99
Substitution effect
–in $Eu_{1-x}Pr_xBa_2Cu_3O_{7-d}$ 323
Substitution effects
–in $Nd_{1-x}Pr_xSrBaCu_3O_7$ 301
Superconductor lifetime measurement 223
Surface barrier 213
Surface characterization
–of $Y_{0.6}Ca_{0.4}Ba_{1.6}La_{0.4}Cu_3O_{7-\delta}$ 223
–of $YBa_2Cu_3O_{7-\delta}$ 223
Surface impedance
–of $YBa_2Cu_3O_{7-\delta}$, thin films 83
Synthesis
–of $(Bi_2Sr_2Ca_4Cu_5O_{14})_1(Bi_2Sr_2CuO_6)_1$ film 342
–of (Hg,Cu)$Ba_2CuO_{4+\delta}$ single crystals 205
–of $(Hg_{0.7},Tl_{0.3})_2Ba_2(Ca_x,Y_{1-x})$-$Cu_2O_{8-2\delta}$ 198
–of $(Hg_{1-x}Re_{0.1})Ba_2Ca_2Cu_3O_{8+\delta}$ 213
–of $(Hg_{1-x}Tl_x)_2Ba_2Ca_{n-1}Cu_nO_y$ 65
–of $Ba_{0.94}Cu_{1.06}O_{2+x}$ 135
–of $Bi_2Sr_2CaCu_2O_x$/Ag tapes 337
–of $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ films 181
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ thick films 189
–of $HgBa_2CuO_{4+\delta}$ tape 193
–of $La_{1.8}Sr_{0.4}CaCu_2O_{4+\delta}Cl_{2-y}$ 296
–of MgO/YBCO bilayers 30
–of $Nd_{1.85}Ce_{0.15}Cu_{1\pm\delta}O_y$ 163

Thermal conductivity
–of $(BiPb)_2Sr_2Ca_2Cu_3O_{10}$ 314
Thermoelectric power
–of $Nd_{1-x}Pr_xSrBaCu_3O_7$ 301
Tunneling 41
Twin boundaries 127

Upper critical field
–of $Ce_{1-x}Nd_xRu_2$ 120

Vortex dimensionality
–in $Bi_2Sr_2CaCu_2O_y$ 261
Vortex transition
–in $Bi_2Sr_2CaCu_2O_y$ 261

Weak localization 1

X-ray diffraction
–of $(BiPb)_2Sr_2Ca_2Cu_3O_x$ 255

ELSEVIER

Physica C 273 (1997) 361–362

PHYSICA C

Materials Index to Volume 273

AL films
–fluctuation effects 1
Al films
–magnetoconductance 1

$Ba_{0.94}Cu_{1.06}O_{2+x}$
–phase relationships 135
–structure 135
–synthesis 135
$(BiPb)_2Sr_2Ca_2Cu_3O_x$
–electric field effect 255
–iV-characteristics 255
–x-ray diffraction 255
$(BiPb)_2Sr_2Ca_2Cu_3O_{10}$
–electrical resistivity 314
–thermal conductivity 314
$Bi_2Sr_2CaCu_2O_x$/Ag tapes
–critical current density 337
–synthesis 337
$(Bi_2Sr_2Ca_4Cu_5O_{14})_1(Bi_2Sr_2CuO_6)_1$ film
–hole concentration 342
–synthesis 342
$Bi_2Sr_2CaCu_2O_y$ crystal
–morphology 349
$Bi_2Sr_2CaCu_2O_y$
–magnetization 261
–single crystal growth 349
–vortex dimensionality 261
–vortex transition 261

$Ce_{1-x}Nd_xRu_2$
–magnetization 120
–phase diagram 120
–upper critical field 120
$(Cu_{0.5}P_{0.5})Sr_2(Ca,Y)_{n-1}Cu_nO_y$
–electric resistivity 72
–hRTEM 72
–high-pressure synthesis 72
–magnetic susceptibility 72

$Eu_{1-x}Pr_xBa_2Cu_3O_{7-d}$
–electrical resistivity 323
–mössbauer study 323
–substitution effect 323

Ga in porous glass
–magnetization 91
$Gd_{2-x}Ce_xCuO_4$
–local disortions 239
–neutron diffraction 239
–structural phase transition 239

$HgBa_2Ca_2Cu_3O_{8+\delta}$ thick films
–electrical resistivity 189
–magnetization 189
–structure 189
–synthesis 189
$HgBa_2CuO_{4+\delta}$ tape
–magnetization 193
–structure 193
–synthesis 193
$(Hg,Cu)Ba_2CuO_{4+\delta}$
–irreversibility line 205
–magnetization 205
–structure 205
$(Hg,Cu)Ba_2CuO_{4+\delta}$ single crystals
–synthesis 205
$(Hg_{1-x}Re_{0.1})Ba_2Ca_2Cu_3O_{8+\delta}$
–magnetization 213
–synthesis 213
$Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$
–critical current density 181
$Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ films
–structure 181
–synthesis 181
$(Hg_{0.7},Tl_{0.3})_2Ba_2(Ca_x,Y_{1-x})Cu_2O_{8-2\delta}$
–hREM 198
–structure 198
–synthesis 198
$(Hg_{1-x}Tl_x)_2Ba_2Ca_{n-1}Cu_nO_y$
–magnetic susceptibility 65
–structure 65
–synthesis 65

$La_{1.8}Sr_{0.4}CaCu_2O_{4+\delta}Cl_{2-y}$
–electrical resistivity 296
–structure 296
–synthesis 296
La_2CuO_4 single crystals
–infrared spectroscopy 9

MgO/YBCO bilayers
–morphology 30
–structure 30
–synthesis 30

$Nd_{1.85}Ce_{0.15}Cu_{1\pm\delta}O_y$
–phase diagrams 163
–synthesis 163
$Nd_{1-x}Pr_xSrBaCu_3O_7$
–high pressure annealing 301
–substitution effects 301
–thermoelectric power 301
–ac susceptibility 301

Pb(Tl)Te
–impurity states 41
–resonance scattering 41
$Pr_{1.85}Ce_{0.15}CuO_{4-y}$ single crystal
–magnetization 268
–peak effect 268

Sr_2RuO_4 single crystal
–neutron diffraction 248
Sr_2RuO_4
–structure 248

$Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$
–dimensional crossover 328
–iV-characteristic 328
–phase diagram 328
$Tl_2Ba_2CaCu_2O_x$
–josephson junction 143
$Tl_2Ba_2CaCu_2O_8$ thin film
–activation energy 281
–flux motion 281
–iV-characteristics 281

$Y_{0.6}Ca_{0.4}Ba_{1.6}La_{0.4}Cu_3O_{7-\delta}$
–corrosion resistance 223
–surface characterization 223
Y_2BaCuO_5

–entrapment 107
YBCO junctions
–josephson effect 21
–microwave dynamics 21
$YBa_2Cu_3O_x$
–grinding 99
–oxygen stoichiometry 99
–structure 99
$YBa_2Cu_3O_{7-\delta}$, thin films
–london penetration depth 83
–microwave properties 83
–surface impedance 83
$YBa_2Cu_3O_{7-\delta}$
–corrosion resistance 223
–melt processing 107
–surface characterization 223
$YBa_2Cu_3O_{7-x}$
–flux instability 127
–flux pinning 127
–grain alignment 127
$YBa_2Cu_{3-x}O_{7\pm\delta}Li_x$
–nMR 49
–oxygen stoichiometry 49
–resistivity 49

vortex system
–phase diagram 91